

AD-A107 432

WEATHER WING (1ST) HICKAM AFB HI
TERMINAL FORECAST REFERENCE NOTEBOOK, CAMP CASEY, KOREA.(U)
AUG 81

F/6 4/2

UNCLASSIFIED

1WW/TFRN/81/002


SBIE-AD-E850 104

NL

1 1 1
A 1 1 1



END
DATE
FILMED
1981
DTIC




PHOTOGRAPH THIS SHEET


AD-E850104

AD A107432

DTIC ACCESSION NUMBER



LEVEL



INVENTORY

Rept. No. 1WW/TFRN/81/002

DOCUMENT IDENTIFICATION

1 Aug. 81


DISTRIBUTION STATEMENT A

Approved for public release;
Distribution Unlimited

DISTRIBUTION STATEMENT

ACCESSION FOR	
NTIS	GRA&I <input checked="" type="checkbox"/>
DTIC	TAB <input type="checkbox"/>
UNANNOUNCED	<input type="checkbox"/>
JUSTIFICATION	
BY	
DISTRIBUTION /	
AVAILABILITY CODES	
DIST	AVAIL AND/OR SPECIAL
A	

DISTRIBUTION STAMP



DATE ACCESSIONED

*Original contains color
plates: All DTIC reproduct-
ions will be in black and
white*

81 11 06 048

DATE RECEIVED IN DTIC

PHOTOGRAPH THIS SHEET AND RETURN TO DTIC-DDA-2

TERMINAL FORECAST REFERENCE NOTEBOOK

AD A107432

DETACHMENT 20 30TH WEATHER SQ

CAMP CASEY, REPUBLIC OF KOREA

(NOTE, THIS TFRN ALSO CONTAINS INFORMATION FOR
CAMP STANLEY (OL-A) AND CAMP STANTON (OL-B))

Preparation Date: 1 AUGUST 1981

APPROVED FOR PUBLIC RELEASE;

DISTRIBUTION UNLIMITED

REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM
1. REPORT NUMBER 1WW/TFRN/81/002	2. GOVT ACCESSION NO.	3. RECIPIENT'S CATALOG NUMBER
4. TITLE (and Subtitle) Terminal Forecast Reference Notebook Camp Casey (OL-A, OL-B), Korea Detachment 20, 30th Weather Squadron		5. TYPE OF REPORT & PERIOD COVERED
		6. PERFORMING ORG. REPORT NUMBER
7. AUTHOR(s)		8. CONTRACT OR GRANT NUMBER(s)
9. PERFORMING ORGANIZATION NAME AND ADDRESS Detachment 20 30th Weather Squadron Camp Casey, Korea		10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS
11. CONTROLLING OFFICE NAME AND ADDRESS		12. REPORT DATE 1 AUG 81
		13. NUMBER OF PAGES 38
14. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office)		15. SECURITY CLASS. (of this report) Unclassified
		15a. DECLASSIFICATION/DOWNGRADING SCHEDULE
16. DISTRIBUTION STATEMENT (of this Report) Approved for public release; distribution unlimited		
17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)		
18. SUPPLEMENTARY NOTES		
19. KEY WORDS (Continue on reverse side if necessary and identify by block number) Meteorology, Meteorological Instruments, Instrumentation, Meteorological Phenomena, Synoptic Meteorology, Weather Forecasting, Weather, Forecasting, Climate, Korea, South Korea, Topography, Camp Casey, Camp Stanley, Camp Stanton, Climatology, TFRN, Forecast guide lines, Weather Forecasting		
20. ABSTRACT (Continue on reverse side if necessary and identify by block number) This publication provides weather forecasting guidelines for Camp Casey, Camp Stanley, and Camp Stanton. All of which are located in the Republic of Korea. The types of guidelines contained in this study are: location, topography, local effects, weather impact on supported units, synoptic climatology, and terminal forecast work and preparation sheets. Also included are AWS Climatic Briefs for each station.		

Review and Approval Statement

This report is approved for public release. There is no objection to unlimited distribution of this report to the public at large, or by DTIC to the National Technical Information Service (NTIS).

This technical report has been reviewed and is approved for publication.

Wayne E. McCollom

WAYNE E. MCCOLLOM, Chief
Technical Information Section
USAFETAC/TST

FOR THE COMMANDER

Walter S. Burgmann

WALTER S. BURGMANN
AWS Scientific and Technical
Information Officer (STINFO)

28 OCT 1981

TFRN
RECORD OF CHANGES

[illegible]

TFRN
RECORD OF REVIEW

[illegible]

TABLE OF CONTENTS

Section A - Location, Topography, and Local Effects	A-1
Republic of Korea	A-2
Camp Casey	A-2
Camp Stanley	A-5
Camp Stanton	A-7
Map 1, Northwest Republic of Korea (1: 250,000 scale compositite of NJ 52-5 and NJ 52-9 maps, series 1501) ...	A-10
Map 2, Camp Casey area (1:50,000 scale map, 3121I, series L752)	A-11
Map 3, Camp Stanley area (1:50,000 scale composite of 3121I and 3121II maps, series L752)	A-12
Map 4, Camp Stanton area (1:50,000 scale composite of 3121I, 3121II, 3121III, and 3121IV, series L752)	A-13
Section B - Weather Impact on Supported Units	B-1
Section C - Synoptic Climatology	C-1
Section D - Rules of Thumb (no approved rules of thumb on file	
Section E - Forecast Studies (no approved studies on file)	
Section F - Climatological DATA (AWS Climatic Briefs)	F-1
Camp Casey (Tongduchon)	F-2
Camp Stanley (Camp Laguardia)	F-4
Camp Stanton (Tonggo-ri)	F-5
Section G - Synoptic Case Studies (filed in Case Study File)	
Section H - Terminal Forecast Work and Preparation Sheets ...	H-1

SECTION A

LOCATION, TOPOGRAPHY, AND LOCAL EFFECTS

1. Geographical Location and Topography of the Republic of Korea.¹ The Republic, about the size of Indiana, covers 37,700 square miles. The climate of Korea is largely influenced by the world's largest land mass to the west and by the Pacific, the world's largest ocean, to the east.

a. The peninsula is bounded to the east by the East Sea (also known as the Sea of Japan), to the south by the Korea Strait (also known as the Straits of Tsushima), and to the west by the Yellow Sea. There are numerous rivers and smaller streams throughout the country. The largest river, the Han, consists of two major branches. The Puk (north branch) Han originates in the mountainous Kwangwon-do province in the northwestern portion of the Republic. The Puk Han flows southwestward to Seoul where it is joined by the Nam (south branch) Han river. The Nam Han originates in Chungchong-Pukto province in the central portion of the country. From Seoul, the Han flows northwestward and empties into the Yellow Sea. The Imjin River also in the northern portion of the Republic, originates in north Korea. It flows southwestward along the Demilitarized Zone (DMZ) and joins the Han river about 20 miles northwest of Seoul. The Nakdong river, which drains the relatively broad interior valley in the southern part of the Republic, originates from lake Andong in the east-central province of Kyongsang-Pukto. From there, the Nakdong river flows southward and empties into the Korea Strait, just west of Pusan. Industry in Korea is still primarily agricultural with rice paddies throughout the nation providing a large moisture source during the summer months.

b. The Republic of Korea extends from north Korea, roughly along the 38th parallel, to 34°N (excluding Cheju Island). The terrain of Korea is irregular and, in general, very rugged. The major terrain feature is a long mountain chain, the Taebaek mountains, which extends longitudinally along the entire length of the peninsula. This mountainous backbone lies closer to the east coast than the west with peaks rising over 5000 feet in the central and southern parts. To the east, the mountains drop steeply to the coast. There is a more gradual decrease in elevation west of the range. Numerous rugged hills (peaks to 3000 feet) extend to the western coastline. The western and southeastern sectors of the nation consist of hills and plains which support most of the Republic's agricultural industry.

2. Geographical Location and Topography of Camp Casey. The post is located in northern Kyonggi-do (province) in the northwestern portion of the Republic. The heliport, H-220, at 37°55'N, 127°03'E is near the northwestern edge of the town of Tongduchon, 20 nautical miles north of Seoul, and 19 miles south-southwest of Chorwon which is near the Demilitarized Zone (DMZ). Tongduchon is located on the eastern boundary of a relatively lowland region in the northwestern corner of the Republic. Like most of Korea, however, the terrain around Camp Casey is characterized by irregularly oriented hills and valleys. Camp Casey lies in the center of the Sin Valley at an elevation of 196 feet. The Sin Valley, shaped like an

¹ US Navy Tech Report 77-03, The Environment of South Korea and Adjacent Sea Areas, in the unit TFRF, is an excellent reference for this subject

inverted "Y", extends northward from Seoul to the DMZ. The area around Tongduchon is primarily agricultural, consisting of small farms and rice paddies. These farms cover all tillable land leaving only the steeper, more rocky hills uncultivated. Land unsuitable for farming has been planted with pine trees which are 10 to 20 feet tall.

a. Sin Creek, immediately west of the heliport, flows northward into the Imjin River, 7 miles to the north. The Imjin River flows southeastward to the Imjin - Han River confluence, 25 miles west-southwest of Tongduchon. The Han River flows westward to the Yellow Sea. The main highway through Tongduchon, and the railroad parallel Sin Creek.

b. The highest terrain in the immediate vicinity of Camp Casey is a ridgeline to the east which roughly parallels the Sin Valley. The highest peaks in this range are: Soyo, 1726 feet, 1.6 miles to the northeast; Kuksa, 2474 feet, 4.5 miles east; Wangbang, 2418 feet, 5 miles east-southeast; and Haeryong, 2169 feet, 4.5 miles to the southeast. Mt. Torak, a relatively isolated peak, lies 5.7 miles to the south-southwest at 1447 feet. Mt Nogo, at 1316 feet and 7.5 miles to the southwest, is also isolated. Mt Kamak, elevation 2215 feet, is 4.5 miles west-northwest in the range of hills west of Tongduchon. Mt Mach'a, in a lower range of hills west of the Sin valley, is 2 miles northwest of the heliport at 1926 feet.

3. Location of Camp Casey Weather Equipment (see Fig 1) and Representativeness of Surface Observations. The weather station is in building T-2651 which is located at the south end of the heliport. The view from T-2651 to the north and south is relatively unobstructed. Ridges east and west of the heliport restrict the view in those directions.

a. The wind set, AN/GMQ-11, is 1/16 of a mile north of the weather station on top of a hanger (74 feet AGL) immediately west of the runway.

b. The instrument shelter, with psychrometer, is just outside of building T-2651. It is much too close to the building and also installed on a cement slab, however, no other suitable location within reasonable distance is available.


c. The rain gauge, ML-17, is adjacent to the instrument shelter.

d. The aneroid barometer, ML-102 D, is in the weather station.

e. The Ceiling light, ML-121, is 1/8 mile north of the weather station immediately west of the runway.

4. Camp Casey Local Effects.

a. Mountains northwest and northeast through southeast of Tongduchon afford Camp Casey shelter from storms from those directions. The area from southeast through west is relatively open.



b. Nearby streams and rice paddies provide an ample source of moisture for radiation fog formation.

c. Smoke and haze from Tongduchon industrial sources, and smoke from local home heating units tend to reduce visibility, particularly during fall months when strong, low-level inversions form. Of particular significance in the fall and winter months, is the common occurrence of dense fog (below minimums) at the main heliport (H-220) while at the same time the visibility is significantly higher (VFR) at the 2ID CG's helipad (H-221), located only 1.8 miles east-northeast.

5. Geographical Location and Topography of Camp Stanley. This post is located in central Kyonggi-do (province) in the northwestern portion of the Republic. The heliport, H-207, at 37° 43' N 127° 04' E is immediately north of a small village (unnamed), 2½ nautical miles southeast of Uijongbu, 12 miles south-southeast of Camp Casey, and about 7 miles north-northeast of the city limits of Seoul. Camp Stanley lies in the narrow, southern end of the Uijongbu Valley just west of the major interior plateau region of the Republic at an elevation of 234 feet. Most of the surrounding hills have some forest cover of small (10 to 15 foot) pine trees.

a. Camp Stanley is between the Sin Creek, 2.2 miles to the west, and the Wangsuk Creek 3 miles to the east. There are numerous small streams (wet season) and rice paddies northwest through southeast of the heliport. Highway 312, north of the post, runs northwest to Uijongbu.

b. Camp Stanley is generally surrounded by mountains. The nearest is an isolated 692 foot peak, Puyong-san, just 1 mile north of the post. There is a north-south range just east with peaks: Yongam-san at 1568 feet, 3.1 miles northeast; Sari-bong at 1762 feet, 2.7 miles east-northeast; Chongyon-san at 1289 feet, 3 miles east-southeast; and Taemae-san at 1194 feet, 2.8 miles southeast. Kuksa-bong (not the same as the peak east of Tongduchon described on page A-3) at 1106 feet is 1.8 miles southeast. Mt Surak, at 2093 feet and 1.6 miles southwest, is the tallest peak in the range west of Camp Stanley. Tobong-san, at 2352 feet and 4 miles west-southwest, and Sap'ae-san, at 1801 feet and 4.2 miles west, are the major peaks in the range west of the Sin Creek.

6. Location of Camp Stanley Weather Equipment (see Fig 2) and Representativeness of Surface Observations. The weather station is in building 2524, 250 feet southwest of the middle of the runway. The view near the weather station is obstructed in all directions by surrounding buildings.

a. The wind set, AN/GMQ-11, is located 375 feet northwest of the weather station on top of the control tower (50 feet AGL) at the northwest end of the runway. Due to the location of the wind set and lack of readout equipment at the weather station, winds are recorded as "estimated". The Beaufort wind scale is employed during the hours the tower is not open.




FIG 2. CAMP STANLEY HELIPORT (H-207)
SCALE: 1 INCH EQUALS 100 FEET

b. The instrument shelter with psychrometer is 60 feet northwest of the weather station.

c. The rain gauge, ML-17, is adjacent to the instrument shelter.

d. The aneroid barometer, ML-102 D, is in the weather station.

7. Camp Stanley Local Effects. Visibility is more often restricted to the north and northwest due to fog and haze in the Uijongbu and Tongduchon valleys. Fog is also common in the Pochon valley and at H-202 shortly after heavy rainfall.

8. Geographical Location and Topography of Camp Stanton. The camp is located in northwestern Kyonggi-do (province) in the northwestern portion of the Republic. The heliport, H-112 at $37^{\circ}47'N$ $126^{\circ}51'E$, is located on the outskirts of the village of Sinsan-ni, 0.5 nautical miles north of Tonggo-ri, 17 miles southeast of Kaeson, north Korea, and about 15 miles northwest of Seoul. Camp Stanton is on the eastern boundary of the northwestern coastal plains of the Republic. The plain extends from the mountains to the east of the post, to the Han river to the south and west, and to the Imjin River to the north and west. The area around the post consists primarily of low hills and rice farms. Reforestation projects in the early 70's have covered most of the hills in the area with 10 to 15 foot pine trees.

a. The Munsan Creek, just west of the heliport, flows northward to the Imjin River at Munsan, 5 miles northwest of Camp Stanton. The Imjin River flows southwestward along the DMZ to the Han - Imjin confluence 7 miles west of Sinsan-ni. The Han River flows northwestward from Seoul and empties into the Yellow Sea. Highway 312, from Seoul to Munsan, is oriented north-south just east of the post.

b. Except for the range to the east of Camp Stanton, most of the peaks are isolated and fairly low. Kumbyong-san, at 961 feet, is 2.1 miles northeast. Mt Paktal, in a small range to the southeast, is 3 miles southeast with an elevation of 1211 feet. Wollong-san, at 807 feet, is 4.5 miles west. Pongso-san, at 709 feet, is 3.3 miles to the northeast. Principle peaks in the range to the east are: Nogo-san, 1316 feet, 5.3 miles northeast; Umbong-san, 1342 feet, 4.2 miles east; Unbong-san, 823 feet, 4.5 miles east-southeast; Mt Aengmu, 2041 feet, 4.5 miles southeast; and Kaemyong-san, 1788 feet, 5.2 miles southeast.

9. Location of Camp Stanton Weather Equipment (see Fig 3) and Representativeness of Surface Observations. The weather station, in building T-17, is located east of the center of the runway. The view from the weather station to the south through north-northeast is unobstructed. The village east of the airfield partially blocks the view north-northeast through south.

a. The wind set, AN/GMQ-11, is 50 feet south of the weather station on top of the ATC tower (35 feet AGL) immediately east of the runway.

b. The instrument shelter, with psychrometer, is 180 feet south of the weather station just east of the runway.




FIG 3. CAMP STANTON HELIPORT (H-112)
SCALE: 1 INCH EQUALS 100 FEET

c. The rain gauge, ML-17, is adjacent to the weather station.

d. The aneroid barometer, ML-102 D, is in the weather station.

10. Camp Stanton Local Effects.

a. Nearby streams and rice paddies provide an ample source of moisture for radiation fog formation.


b. Smoke from local home heating units tends to reduce visibility, particularly during the winter months, but lack of industry in this area results in better visibility than at Camp Casey or Camp Stanley.


CAMP CASEY


CAMP STANTON


CAMP STANLEY

MAP 1. NORTHWEST REPUBLIC OF
KOREA









SECTION B

WEATHER IMPACT ON SUPPORTED UNITS
(AIRCRAFT SUPPORTED)

Note: Support requirements to local organizations which have a mission degradation due to weather are outlined in Det 20's weather support plan.

Units Supported:

- a. 2nd AVN BN
 - b. 4/7 Cavalry; Divarty Avn
 - c. HQ 2nd Infantry Division
 - d. 377th Med Co.
1. a. Unit Supported: 2nd AVN BN
- b. Mission: Aviation support to the 2nd Infantry Division.
- c. Systems/Aircraft assigned:
- (1) UH 1 helicopter
 - (2) OH 58 helicopter
- d. Weather Elements Critical to Mission Accomplishment:
- (1) Surface Winds at H220
 - (a) Greater than 20 KTS (MAX for practice Autorotations)
 - (b) Greater than 30 KTS (MAX tailwind Component)
 - (c) Greater than 35 KTS with crosswind component
 - (d) Greater than 40 KTS sustained (MAX allowable for parked, unsheltered ACFT)
 - (e) Gust spread over 15 KTS
 - (f) Ceilings/vsby less than 500 ft/ $\frac{1}{4}$ mile (take off/landing minimums)
2. a. Unit supported: 4/7 Cavalry; Divarty AVN
- b. Mission:
- (1) 4/7 Cavalry; perform recon and intelligence information for the 2ID.
 - (2) Divarty Avn; provide aviation support to Divarty commander, including aerial observation and support for the Division Artillery.
- c. Systems/Aircraft Assigned:
- (1) UH 1 helicopter

- (2) AH 1 helicopter
- (3) OH 58 helicopter

d. Weather Elements Critical to Mission Accomplishment:

- (1) UH 1
 - (a) Icing: Moderate
 - (b) Turbulence: Severe
- (2) OH 58
 - (a) Icing: Must avoid all ICING conditions
 - (b) Turbulence: Severe
- (3) AH 1
 - (a) Icing:
 - (b) Turbulence:
- (4) Takeoff/Landing Minimums
 - (a) H 112: Ceiling: 500 Ft
Visibility: 1 mile
 - (b) H 207: Ceiling: 500 Ft
Visibility: 1 mile

3. Unit Supported: HQ 2nd Infantry Division Command Section
See SOPs for support provided to HQ 2ID.

- 4. a. Unit Supported: 377th Med CO (DUSTOFF MORTH)
- b. Mission: Emergency medical evacuation of personnel
- c. Systems/aircraft assigned:
UH 1 helicopter
- d. Weather elements critical to mission accomplishment:
 - (1) Icing: Moderate
 - (2) Turbulence: Severe
 - (3) Takeoff/landing minimums: 500/1; these minimums can be waived by the Company Commander depending on the nature of the emergency.

CHARACTERISTICS

Type aircraft: UH-1, "Huey"/"Iroquis", helicopter.

1. True airspeed and normal cruise altitude: 90 kts and 500 to 4000 ft.
2. Air refueling capability: No
3. Average flight time capability without refueling: 2 + 30
4. Limitations of operation:
 - a. Icing: Operates in trace icing conditions.
 - b. Turbulence: Operates in up to moderate turbulence.
5. Airborne severe weather avoidance capability: No
6. Critical takeoff and landing elements:
 - a. Maximum prevailing wind: 35 kts.
 - b. Maximum cross wind: N/A.
 - c. Maximum gust spread: 15 kts.
 - d. Minimum cig/vsby: 200 ft and $\frac{1}{2}$ mi

CHARACTERISTICS

Type aircraft: OH-58 "Kiows"/"Sky-Scooter", helicopter.

1. True airspeed and normal cruise altitude: 90 kts and 200 to 3000ft.
2. Air refueling capability: No.
3. Average flight time capability without refueling: 3 + 00
4. Limitations of operation:
 - a. Icing: Avoids all icing conditions.
 - b. Turbulence: Operates in up to light turbulence.
5. Airborne severe weather avoidance capability: No.
6. Critical takeoff and landing elements:
 - a. Maximum prevailing wind: 45 kts.
 - b. Maximum cross winds: N/A
 - c. Maximum gust spread: 15 kts.
 - d. Minimum cig/vsby: 500 ft/1 mile

CHARACTERISTICS

Type aircraft: AH-1, "Hueycobra"/"Cobra,: helicopter.

1. True airspeed and normal cruise altitude: 90 kts and 200 to 300ft.
2. Air refueling capability: No
3. Average flight time capability without refueling: 3 + 00.
4. Limitations of operation:
 - a. Icing: Avoids all icing conditions.
 - b. Turbulence: Operates in up to light turbulence.
5. Airborne severe weather avoidance capability: No
6. Critical takeoff and landing elements:
 - a. Maximum prevailing wind: 30 kts
 - b. Maximum cross wind: N/A
 - c. Maximum gust spread: 15 kts
 - d. Minimum cig/vsby: 500 ft and 1 mi

SECTION C

SYNOPTIC CLIMATOLOGY

SYNOPTIC CLIMATOLOGY

NONE AVAILABLE AT THIS TIME

SECTION D

RULES OF THUMB (ROTS)

RULES OF THUMB

NO APPROVED ROTS ON FILE

SECTION E

FORECAST STUDIES

FORECAST STUDIES

NO APPROVED FORECAST STUDIES ON FILE

SECTION F

CLIMATOLOGICAL DATA

AWS CLIMATIC BRIEF										TONGUCHEON/A-220 AR. SO. KOREA										PERIOD: 1953-57										WBAN # 43245									
Prepared by ETAC (MAY 1968)										# 37 55 # 127 03										ELEVATION: 196 (1) STN LTRS:										WMO #									
MONTH	TEMPERATURE (°F)				PRECIPITATION (in)				WIND (KT)				MEAN				99.95%	MEAN NUMBER OF DAYS										TEMPERATURE (°F)				MEAN CLOUDS (TEXTILES)							
	EXTREME MAXIMUM	MEAN DAILY MAXIMUM	MEAN DAILY MINIMUM	EXTREME MINIMUM	MEAN TOTAL	MAXIMUM IN 24 HOURS	MEAN SNOWFALL	MAX SNOWFALL IN 24 HOURS	PREVAILING DIRECTION	MEAN SPEED	EXTREME SPEED (MAXIMUM)	RELATIVE HUMIDITY (%)		DEW POINT (°F)	VAPOR PRESSURE (in)	PRESSURE ALTITUDE		PRECIP ≥ 0.01	PRECIP ≥ 0.5	SNOWFALL ≥ 0.1	SNOWFALL ≥ 1.5	THUNDERSTORMS	FOG	MAXIMUM MINIMUM															
												0400	1300											90	80	32	0												
JAN	52	31	17	-15	0.7	0.4	7	3	N	4	21	74	58	13	.07	450	6	0	7	1	0	7	*	*	*	*	*	*	*	*	*	*							
FEB	58	37	21	-7	1.7	1.1	*	*	N	4	21	78	56	20	.10	450	6	1	*	*	0	6	*	*	*	*	*	*	*	*	*	*							
MAR	70	48	31	9	1.5	2.5	#	#	N	5	27	82	53	29	.16	600	8	1	0	0	#	9	*	*	*	*	*	*	*	*	*	*							
APR	83	62	44	23	2.4	1.4	0	0	SW	5	33	85	50	40	.25	700	7	3	0	0	0	10	*	*	*	*	*	*	*	*	*	*							
MAY	92	74	54	33	2.0	1.0	0	0	SW	5	33	87	48	50	.36	750	7	1	0	0	#	10	*	3	*	*	*	*	*	*	*	*							
JUN	98	79	62	49	6.7	4.5	0	0	S	4	21	89	57	61	.54	750	12	4	0	0	#	11	*	11	*	*	*	*	*	*	*	*							
JUL	102	83	71	51	16.6	6.0	0	0	S	4	27	92	70	71	.76	800	18	9	0	0	1	18	*	*	*	*	*	*	*	*	*	*							
AUG	102	85	72	57	9.0	6.8	0	0	S	4	33	92	65	71	.76	750	10	5	0	0	1	17	*	*	*	*	*	*	*	*	*	*							
SEP	92	77	59	39	9.1	4.7	0	0	N	4	27	92	58	59	.50	700	8	5	0	0	#	15	*	*	*	*	*	*	*	*	*	*							
OCT	84	66	46	25	2.0	1.4	0	0	N	3	27	91	53	46	.31	550	8	1	0	0	#	19	*	*	*	*	*	*	*	*	*	*							
NOV	74	51	35	9	0.9	0.9	#	1	N	4	21	85	57	34	.20	450	4	1	#	0	#	15	*	*	*	*	*	*	*	*	*	*							
DEC	60	37	22	-5	0.8	0.8	1	2	N	3	27	78	60	21	.11	400	4	1	#	#	0	12	*	*	*	*	*	*	*	*	*	*							
ANN	102	61	45	-15	53.4	6.8	*	*	N	4	33	85	57	43	.28	800	98	32	*	*	3	149	*	*	*	*	*	*	*	*	*	*							
EYR	14	14	14	14	7	4	9	1	14	14	14	14	14	14	14	14	7	7	9	9	11	11	*	*	*	*	*	*	*	*	*	*							
REMARKS:																																							
FOR: Hourly Obs May-Jun 53, Nov 53-Aug 67 - Daily Obs May-Jun 53, Nov 53-Dec 65, Feb-Oct 66																																							
NOTE: *DATA NOT AVAILABLE. #LESS THAN 0.5 DAY, 0.5 OR 0.05 INCH, OR 0.5 PERCENT (%) AS APPLICABLE.																																							
FLYING WEATHER (% FREQ)																																							
HOURS (LST)																																							
CIG less than 3000 feet and/or VSBY less than 3 miles	00-02				*	*	*	*	*	*	11	20	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*						
	03-05				19	21	22	27	23	30	60	50	32	31	21	20	30	14																					
	06-08				31	34	32	31	20	33	61	46	32	32	26	26	34	14																					
	09-11				31	27	22	20	14	27	51	37	18	9	15	23	25	14																					
	12-14				18	14	20	18	13	26	51	34	18	6	10	13	20	14																					
	15-17				14	13	18	18	12	19	42	28	16	6	9	14	17	14																					
	18-20				*	*	*	40	0	12	12	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*						
	21-23				*	*	*	*	*	11	15	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*						
	ALL HOURS				*	*	*	*	*	15	26	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*						
	ALL HOURS				*	*	*	*	*	8	9	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*						
CIG less than 1500 feet and/or VSBY less than 3 miles	00-02				*	*	*	*	*	*	8	9	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*						
	03-05				14	12	12	18	15	17	40	30	19	26	15	11	19	14																					
	06-08				24	26	22	21	13	19	36	26	20	27	20	17	23	14																					
	09-11				25	19	12	11	6	9	21	10	5	4	8	15	12	14																					
	12-14				9	6	7	8	6	5	14	6	3	1	2	6	6	14																					
	15-17				8	5	8	7	5	4	13	5	3	1	3	6	6	14																					
	18-20				*	*	0	0	11	1	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*						
	21-23				*	*	*	*	10	0	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*						
	ALL HOURS				*	*	*	*	*	8	10	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*						
	ALL HOURS				*	*	*	*	*	8	10	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*						
CIG less than 1000 feet and/or VSBY less than 2 miles	00-02				*	*	*	*	*	*	6	1	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*						
	03-05				4	5	8	10	10	9	21	19	13	16	8	6	11	14																					
	06-08				14	16	12	14	8	10	20	16	14	19	12	10	14	14																					
	09-11				17	12	7	7	3	4	10	4	3	2	3	9	7	14																					
	12-14				5	2	4	5	3	3	7	3	1	#	1	3	3	14																					
	15-17				5	3	4	5	3	2	7	3	1	#	2	3	3	14																					
	18-20				*	*	0	0	10	0	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*						
	21-23				*	*	*	*	7	0	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*						
	ALL HOURS				*	*	*	*	*	5	5	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*						
CIG less than 200 feet and/or VSBY less than 1 mile	00-02				*	*	*	*	*	0	0	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*						
	03-05				#	1	1	3	3	2	2	6	5	7	4	2	3	14																					
	06-08				2	1	1	2	1	1	4	4	8	6	3	8	14																						
	09-11				2	1	#	#	0	0	#	#	0	#	1	1	#	14																					
	12-14				#	#	#	0	#	0	0	#	0	0	#	0	14																						
	15-17				1	1	#	#	0	0	#	0	0	#	#	#	14																						
	18-20				*	*	0	0	0	0	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*						
21-23				*	*	*	*	0	0	0	0	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*							
ALL HOURS				*	*	*	*	*	1	#	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*							

(ULZORU)

CS DATED JUL 68 OBSOLETE

CAMP STANLEY LOCATED 3 MILES ESE

 STATION NAME : CAMP LAGUARDIA AAP KOREA K-4
 LOCATION : N37 44 E127 03

 PERIOD: APR 51-JUL 72
 ELEV : 176

 SITES: 4859
 WIND NO.: 43210
 WIND NO.: 47104

 PREPARED BY: USARPAC
 JUNE 1974

AWS CLIMATIC BRIEF

M O N T H	TEMPERATURE (°F)						PRECIPITATION (IN)						SNOWFALL (IN)						RELATIVE HUMIDITY (%)						DEW POINT (°F)						WINDS						CLOUDS						MEAN NUMBER OF DAYS OCCURRENCE OF:						TEMPERATURE (°F)																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																								
	MEAN			EXTREME			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL			ADDITIONAL					

REMARKS: RUSSHO FOR:

JULY ORS: APR 51, JUL 51-DEC 52, MAY 53-JUL 72

AND (10-13 ORS/DAY: MAR 71-JUL 72)

DAILY ORS:

CAT FREQ (13)	LESS THAN 0.1 DAY			0.1 OR 0.5 INCH OR 0.5 PERCENT AS APPLICABLE			HIGHEST ONLY WIND SPEED CLASS INT			5-5 CALM OVER 5 WIND DIRECTION		
	LESS THAN 0.1 DAY			0.1 OR 0.5 INCH OR 0.5 PERCENT AS APPLICABLE			HIGHEST ONLY WIND SPEED CLASS INT			5-5 CALM OVER 5 WIND DIRECTION		
	ALL WRS	ALL WRS	ALL WRS	ALL WRS	ALL WRS	ALL WRS	ALL WRS	ALL WRS	ALL WRS	ALL WRS	ALL WRS	ALL WRS
JAN	00-02	00-02	00-02	00-02	00-02	00-02	00-02	00-02	00-02	00-02	00-02	00-02
FEB	00-02	00-02	00-02	00-02	00-02	00-02	00-02	00-02	00-02	00-02	00-02	00-02
MAR	00-02	00-02	00-02	00-02	00-02	00-02	00-02	00-02	00-02	00-02	00-02	00-02
APR	00-02	00-02	00-02	00-02	00-02	00-02	00-02	00-02	00-02	00-02	00-02	00-02
MAY	00-02	00-02	00-02	00-02	00-02	00-02	00-02	00-02	00-02	00-02	00-02	00-02
JUN	00-02	00-02	00-02	00-02	00-02	00-02	00-02	00-02	00-02	00-02	00-02	00-02
JUL	00-02	00-02	00-02	00-02	00-02	00-02	00-02	00-02	00-02	00-02	00-02	00-02
AUG	00-02	00-02	00-02	00-02	00-02	00-02	00-02	00-02	00-02	00-02	00-02	00-02
SEP	00-02	00-02	00-02	00-02	00-02	00-02	00-02	00-02	00-02	00-02	00-02	00-02
OCT	00-02	00-02	00-02	00-02	00-02	00-02	00-02	00-02	00-02	00-02	00-02	00-02
NOV	00-02	00-02	00-02	00-02	00-02	00-02	00-02	00-02	00-02	00-02	00-02	00-02
DEC	00-02	00-02	00-02	00-02	00-02	00-02	00-02	00-02	00-02	00-02	00-02	00-02
ALL	00-02	00-02	00-02	00-02	00-02	00-02	00-02	00-02	00-02	00-02	00-02	00-02

 AWS APR 74 62
 PREVIOUS EDITION IS OBSOLETE

AWS CLIMATIC BRIEF															TONGOO-RI/STANTON AAF/TEAM 811/A-9, S. KOREA PERIOD: 1953-67										WBAN # 43244 WMO #																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
Prepared by ETAC (APR 1968)															N 37 47 E 126 51					ELEVATION: 90 ft STN LTRS:																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
MONTH	TEMPERATURE (°F)				PRECIPITATION (in)		WIND (KT)			MEAN					99.95% PRESSURE ALTITUDE	MEAN NUMBER OF DAYS										MEAN CLOUDS (TENTHS)																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
	EXTREME MAXIMUM	MEAN DAILY MAXIMUM	MEAN DAILY MINIMUM	EXTREME MINIMUM	MEAN TOTAL	MAXIMUM IN 24 HOURS	MEAN SNOWFALL	MAX SNOWFALL IN 24 HOURS	PREVAILING DIRECTION	MEAN SPEED	EXTREME SPEED (MAX WINDS)	RELATIVE HUMIDITY (%)		DEW POINT (°F)		VAPOR PRESSURE (in Hg)	TEMPERATURE (°F)																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																														
												0400	1300				MAXIMUM				MINIMUM																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										
																	90	80	70	60	50	40	30	20																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
JAN	54	31	16	-15	0.5	0.6	*	*	NW	3	27	76	58	14	.08	350	4	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

SECTION G

SYNOPTIC CASE STUDIES

(None on File)

SECTION H

TERMINAL FORECAST WORK/PREPARATION SHEET

DET 20 30 WS		TERMINAL FORECAST WORKSHEET						
1. FORECASTER		2. MONTH	3. DATE/TIME					
4. ANALYSIS								
A. 500MB: PVA ___/NVA ___/NEUTRAL ___		F. MOISTURE FOR FOG/STRATUS						
B. 850MB: LIFTING ___/SUBSIDENCE ___		G. MOISTURE AT 850MB ___ 700MB ___ 500MB ___						
C. 850-500MB SHOWALTER INDEX ___		H. SURFACE WIND DIRECTION ___						
D. WW/MWA NUMBER ___/CRITERIA ___								
E. LOCAL WW/MWA NUMBER ___/CRITERIA ___								
5. SYNOPTIC SITUATION								
(CURRENT OBSERVATION: _____.)								
6. TERMINAL FORECAST								
RKXX		QNH	INS					
		QNH	INS					
		QNH	INS					
		QNH	INS					
		QNH	INS					
AMD/COR/RTD (REASON: _____.)								
FTAS 75 RJTZ		AMD/COR/RTD						
RKXX AMD/COR/RTD		QNH	INS					
		QNH	INS					
		QNH	INS					
		QNH	INS					
		QNH	INS					
AMD/COR/RTD _____. (NOTE: The time on the last line is not used with RTD.)								
7. VERIFICATION								
HOUR	1	2	3	4	5	6	12	24
TIME								
CIG F/O								
VIS F/C								
CC								
PRECIP								
INTER								
8. REMARKS								

30 WS FORM 0-62
Oct 79

H-2

**DATA
FILM**